

### Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bid End Date/Time/बिड बंद होने की तारीख/समय                                                                      | 10-03-2025 12:00:00                                                                                                                                                                                                                                                                                                                                                                                                             |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय                                                                     | 10-03-2025 12:30:00                                                                                                                                                                                                                                                                                                                                                                                                             |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)                                        | 30 (Days)                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Ministry/State Name/मंत्रालय/राज्य का नाम                                                                        | Uttar Pradesh                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Department Name/विभाग का नाम                                                                                     | Medical Education Department Uttar Pradesh                                                                                                                                                                                                                                                                                                                                                                                      |
| Organisation Name/संगठन का नाम                                                                                   | Directorate Of Medical Education And Training                                                                                                                                                                                                                                                                                                                                                                                   |
| Office Name/कार्यालय का नाम                                                                                      | Director General Medical Education                                                                                                                                                                                                                                                                                                                                                                                              |
| क्रेता ईमेल/Buyer Email                                                                                          | con71.dmet.up@gembuyer.in                                                                                                                                                                                                                                                                                                                                                                                                       |
| Total Quantity/कुल मात्रा                                                                                        | 157                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Item Category/मद केटेगरी                                                                                         | Laboratory Benches (V2) (Q3)                                                                                                                                                                                                                                                                                                                                                                                                    |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)    | 10 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                     |
| OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)                           | 22 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s)                                                                                                                                                                                                                                                                                                                                                                                                                      |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट                                 | No                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट                         | No                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़                                                     | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| Bid Details/बिड विवरण                                                                                                            |                                                 |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/                                           | No                                              |
| Past Performance/विगत प्रदर्शन                                                                                                   | 50 %                                            |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया                                                                               | Yes                                             |
| RA Qualification Rule                                                                                                            | 50% Lowest Priced Technically Qualified Bidders |
| Type of Bid/बिड का प्रकार                                                                                                        | Two Packet Bid                                  |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days                                          |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)                                      | No                                              |
| Estimated Bid Value/अनुमानित बिड मूल्य                                                                                           | 2266600                                         |
| Evaluation Method/मूल्यांकन पद्धति                                                                                               | Total value wise evaluation                     |
| Arbitration Clause                                                                                                               | No                                              |
| Mediation Clause                                                                                                                 | No                                              |

#### EMD Detail/ईएमडी विवरण

|                             |                     |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि       | 33999               |

#### ePBG Detail/ईपीबीजी विवरण

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

PRINCIPAL  
AUTONOMOUS STATE MEDICAL COLLEGE, CHANDAULI, UP  
(Principal)

#### MSE Purchase Preference/एमएसई खरीद वरीयता

|                                           |    |
|-------------------------------------------|----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | No |
|-------------------------------------------|----|

### MII Purchase Preference/एमआईआई खरीद वरीयता

|                                            |    |
|--------------------------------------------|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--------------------------------------------|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

### Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

MODULAR BIOCHEMISTRY LAB FURNISHING - [1739611165.xlsx](#)

### Laboratory Benches (V2) ( 157 meter )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                                | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GENERIC       | <b>Laboratory benches required for</b>                            | Chemistry Lab, Physics Lab, Biology Lab                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|               | <b>Laboratory benches type</b>                                    | Wall side type, Island type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|               | <b>Base design of laboratory benches</b>                          | Only laboratory bench, Laboratory bench with hanging drawer, Laboratory bench with under storage unit, Laboratory bench with console unit, Laboratory bench with under storage unit and console unit, Laboratory bench with under storage unit, sink and faucet, Laboratory bench with under storage unit, reagent rack, sink and faucet                                                                                                                                                                                                                                                                                             |
|               | <b>Accessories /Additional requirement for laboratory benches</b> | Open rack, Single side 1- tier (reagent rack), Single side 2-tier (reagent rack), Single side 3- tier (reagent rack), Double side 1- tier (reagent rack), Double side 2- tier (reagent rack), Double side 3- tier (reagent rack), Drainage gradient /Plumbing (Well adjusted throughout the length of the table should have horizontal supports for drainage systems /Plumbing), Electrical fittings( raceway and switch sockets), Number of Pegs (to be indicated during bid creation), Operatable / Openable flip top box Used for physics Lab, Antivibration pads on bottom level and top, No Accessories /Additional requirement |
| MATERIAL      | <b>Main under structure material</b>                              | MS CRCA Pipe, MS PIPE, C-frame assemblies from standard hollow plain carbon steel section conforming to IS 7138/Latest, D-frame assemblies from standard hollow CRCA section                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|               | <b>Understructure material section size (± 2 mm)</b>              | 20 mm X 20 mm, 30 mm x 30 mm, 40 mm X 40 mm, 10 mm X 20 mm, 60 mm X 30 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|               | <b>Material Thickness of frame (± 0[dot]01 mm)</b>                | 0.8 mm, 1.6 mm, 2 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|               | <b>Material of sheet used in understructure</b>                   | MS CRC sheet conforming to IS 513/Latest, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|               | <b>Thickness of sheet used in understructure</b>                  | 12-14 gauge, 18-20 gauge, 20-22 gauge, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|               | <b>Top material</b>                                               | Black granite(Polished), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, MDF Boards for General Purpose (IS 12406 /latest), Prelaminated MDF board (IS 14587 /latest), Prelaminated Particle Boards from Wood and Other Lignocellulosic Material (IS 12823 /latest), Plywood for General Purposes (IS 303 /latest), Phenolic resin industrial compact laminate top                                                                                     |
|               | <b>Thickness of top material</b>                                  | 9 mm, 12 mm, 16 mm, 18 mm, 19 mm, 20 mm, 25 mm, 30 mm, 38 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

| Specification   | Specification Name/विशिष्टि का नाम                                     | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                 | <b>Vertical upright (Electric supply systems shelves and top unit)</b> | Made of 16 gauge CRCA formed steel panels with removable covers, Made of 18 gauge CRCA formed steel panels with removable covers, Special profile extruded Aluminium construction with hard anodized epoxy powder coated surface. Shelf tops are provided in 6mm phenolic resin or wire reinforced glass construction. This design offers extra ordinary chemical resistance in addition to elegant look. Shelf height shall be adjustable as per requirement., In epoxy coated galvanized iron construction with PP lined shelves, NA |
|                 | <b>Adjustable reagent shelves</b>                                      | Modular design 2 stage horizontal storage shelves with vertical support of 2mm thick aluminum extrusion having MS brackets of 2mm thick, Modular design 2 stage horizontal storage shelves with vertical support of 1 mm thick aluminum extrusion, Single sided Double tire reagent rack for wall benches, Double sided Double tire reagent rack for island benches, NA                                                                                                                                                                |
|                 | <b>Sink material</b>                                                   | Made up of 5 mm thick high density and elastic polypropylene with good resistance to organic solvents, Made up of 5 mm thick molded Polypropylene with good resistance to organic solvents, Ceramic, Made of SS 304 with 0.8 mm thickness, NA                                                                                                                                                                                                                                                                                          |
|                 | <b>Material of peg board</b>                                           | Polypropylene, Acrylic, Phenolic Resin, Stainless steel(SS), NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                 | <b>Thickness of peg board material</b>                                 | 0.8 mm, 1.2 mm, 2 mm, 3 mm, 5 mm, 6 mm, 7 mm, 8 mm, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                 | <b>Material of faucet</b>                                              | Brass with powder coating NA, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                 | <b>Material of shelves</b>                                             | Phenolic resin industrial compact laminate top, Toughened glass, GI sheet, Sheesham wood, MS sheet with powder coated, NA                                                                                                                                                                                                                                                                                                                                                                                                              |
|                 | <b>Thickness of shelf material</b>                                     | 1 mm, 5 mm, 6 mm, 9 mm, 10 mm, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                 | <b>Material of Shutters</b>                                            | With Glass, Metallic shutters in double skin GI construction, Double skin MS construction, No shutter                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| DIMENSION       | <b>Running length of bench (± 5 mm)</b>                                | 600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 500 mm, 1720 mm, 1800 mm, 2400 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                 | <b>Depth (± 5mm)</b>                                                   | 620 mm, 700 mm, 750 mm, 770 mm, 900 mm, 920 mm, 1200 mm, 1240 mm, 1400 mm, 1500 mm, 1540 mm, 1550 mm, 1800 mm, 1840 mm                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                 | <b>Height (± 5 mm)</b>                                                 | 600 mm, 750 mm, 800 mm, 900 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                 | <b>Dimension of sink (± 5 mm) (LxWxD)</b>                              | 500 mm X 400 mm X 300 mm, 560 mm X 355 mm X 200 mm, 600 mm X 450 mm X 315 mm, 400 mm X 200 mm X 300 mm, NA                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                 | <b>Size of faucets</b>                                                 | Larger gooseneck sizes up to 300 mm, As per buyer's choice(to be indicated during bid creation), NA                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| COLOUR & FINISH | <b>Finish of understructure frame</b>                                  | Pure epoxy powder coated finish, Electro Galvanized                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Specification | Specification Name/विशिष्टि का नाम                       | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य                                                                 |
|---------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|               | <b>Thickness of finish of understructure frame</b>       | 5 microns, 7 microns, 30-35 microns, 35-40 microns, 40-45 microns, 45-50 microns, 50 -55 microns, 55-60 microns, 60-70 microns |
|               | <b>Colour of benches</b>                                 | Grey, Off white, Blue, Ivory, Water Blue, Red, Yellow, Green, As per requirement(to be indicated during bid creation)          |
|               | <b>Colour of sink</b>                                    | Silver-grey, Black, White, Off white, As per requirement(to be indicated during bid creation), NA                              |
|               |                                                          |                                                                                                                                |
| WARRANTY      | <b>Warranty period</b>                                   | 1 Year, 2 Years, 3 Years                                                                                                       |
| CERTIFICATION | <b>Test reports to be furnished to buyer's on demand</b> | Yes, No                                                                                                                        |

#### Additional Specification Parameters - Laboratory Benches (V2) ( 157 meter )

| Specification Parameter Name                                                                                     | Bid Requirement (Allowed Values)                                                                                 |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| NOTE: All the measurements are in SQM and not in Meters. Bidders must quote accordingly.                         | NOTE: All the measurements are in SQM and not in Meters. Bidders must quote accordingly.                         |
| NOTE: Detailed Specification document is attached in the ATC section. Bidders must follow in accordance to that. | NOTE: Detailed Specification document is attached in the ATC section. Bidders must follow in accordance to that. |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता                                      | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---------------------------------------------------------|--------------------------------------------------|-----------------|------------------------------|
| 1              | Dharmendra Kumar Dubey                                  | 232104,AUTONOMOUS STATE MEDICAL COLLEGE CHANDALI | 157             | 60                           |

#### Special terms and conditions-Version:1 effective from 29-03-2023 for category Laboratory Benches (V2)

- After award of contract- Successful bidder shall get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of

modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Mandatory Checklist for Bidders (To be filled & uploaded)

| CHECK LIST FOR BIDDERS |                            |                                                                                                                                                                                                                                                                  |        |           |         |
|------------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|---------|
| Sl no                  | Document Required          | Details                                                                                                                                                                                                                                                          | Yes/No | From Page | To Page |
| 1                      | Bidder financial standing: | The bidder should not be under liquidation; court receivership or similar proceedings should not be bankrupt. Bidder to upload undertaking to this effect with bid                                                                                               |        |           |         |
| 2                      | GST                        | Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regard. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST % |        |           |         |
| 3                      | Product Market life        | Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 5 years residual market life i.e., the offered product shall not be declared end-of-life by the OEM before this period.                                 |        |           |         |

|    |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |
|----|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| 4  | Experience Criteria: | The Bidder or its OEM should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion |  |  |  |
| 5  | OEM                  | Upload GeM QCI accessed OEM report: Wherever Authorized Distributors are submitting the bid, Manufacturers Authorization Form (MAF)/ GeM QCI accessed OEM report with details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.                                                                                                                                                               |  |  |  |
| 6  | Contact no           | Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support                                                                                                                                                                                                                                                                                                                   |  |  |  |
| 7  | Escalation Matrix    | Escalation Matrix for Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.                                                                                                                                                                                                                                                                                                                           |  |  |  |
| 8  | Acceptance           | Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any                                                                                                                                                                                                                                                                                              |  |  |  |
| 9  | Certificate          | ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification                                                                                                                                                                                                                                                                                                                                                             |  |  |  |
| 10 |                      | To be eligible for award of contract, Bidder / OEM must possess following Compliance Certificates / Test Reports on the date of bid opening (to be uploaded with bid): ISO 14001, 27001, 45001, 50001                                                                                                                                                                                                                                                |  |  |  |



|    |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |
|----|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| 11 | Warranty             | <p>Warranty period of the supplied products shall be 5 year respectively, from the date of final acceptance of goods or after completion of installation, commissioning &amp; testing of goods (if included in the scope of supply),</p> <p>at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service.</p>                     |  |  |  |
| 12 | ATC                  | <p>Buyer Added text-based ATC clauses which must be submitted for technical eligibility :</p> <ul style="list-style-type: none"> <li>• Bidder should not be blacklisted by any Govt. organization, institute, agency or it's subsidiary or any public listed company.</li> <li>• Only OEM or one of its authorized resellers can participate in this bid.</li> <li>• Bidder must submit at least one Purchase Order copy of similar laboratory furniture works only issued by a Central / State Govt Organization / PSU / Public Listed Company in its name, amounting not less than 80% of the bid estimated value. Along with proper valid proof of project completion.</li> </ul> |  |  |  |
| 13 | Turnover Certificate | Must provide 3 years Turnover Certificate approved by a CA.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |
| 14 | Service Centre       | Bidder must submit valid proof of a Service Centre in the consignee state with proper GST Registered address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| 15 | Sample               | One perfectly sized Epoxy powder coated 300 mm Length 300 mm Width X 1.2 mm thickness With UV film coating on top, laser cut, laser printed sample with State department Logo imprinted should reach the consignee location 1 day before bid closing date                                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |
| 16 | Technical datasheet  | Bidder must submit all the necessary technical documents in 100% compliance to the given specification with layout drawings and 3 Dimensional drawings explaining positioning of laboratory furniture in each lab along with separate layouts for auxiliary works plan i.e., electrical and plumbing work, to ensure functionality of the labs.                                                                                                                                                                                                                                                                                                                                      |  |  |  |

|    |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  |
|----|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| 17 | EMD as per Terms & Condition   | <p>Bidder can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of</p> <ul style="list-style-type: none"> <li>• . A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledge. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to <p>upload scanned copy / proof of the FDR along with bid</p> </li></ul>                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |
|    |                                | and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |  |
| 18 | Legal Jurisdiction Declaration | <p>Legal Jurisdiction:- All disputes and question, if any arising between the buyers and the sellers out of or in connection with the terms and conditions contained herein or as to the construction of application thereof, or the respective rights and obligations of the parties there under or as to any clause or thing herein contained or by reason of the supply or failure or refusal to supply any material or as to any other matter in any way relating to these presents shall be referred to the sole arbitration of the Principal of the ASMC, CHANDAULI or his nominee. The decision of the sole arbitrator shall be final and binding upon both parties and subject to adjudication of CHANDAULI Court. Place for arbitration shall be at CHANDAULI (U.P.), India. Venue of such arbitration proceedings shall be ASMC, CHANDAULI. Arbitration and Conciliation Act 1996 and rules made there under shall be applied to the proceedings under this clause.</p> |  |  |  |

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of

bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**